





Preventive Maintenance 53 Weeks Forecast Report (2026)

PM ID	Asset Number	PM Group	Next Week	Next Year	Frequency	1							2							3							4							5														
						1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3										
PRM100026	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x
PRM100027	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100028	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100029	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100030	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100031	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100032	AST100040		19	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100033	AST100005		16	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100034		AIRCOND E-08-04	17	2026	1 Month			x			x			x			x			x			x			x			x			x			x			x			x			x			x	
PRM100035	PC OFFICE CORE		19	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100036		AIRCOND E-08-04	25	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100037		AIRCOND E-08-04	25	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100038		AIRCOND E-08-04	25	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100039		AIRCOND E-08-04	25	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100040		AIRCOND E-08-04	25	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100041		AIRCOND E-08-04	25	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100042		AIRCOND E-08-04	26	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100043		AIRCOND E-08-04	26	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100044	CAR100005		32	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100045	1		27	2026	1 Month			x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100046		AIRCOND E-08-04	29	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100047	AST-CORE-TEST-CHILD2		33	2026	1 Month	x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		x		
PRM100048	002-100003		32	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
PRM100049	002-100003		32	2026	7 Days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x																							

Total Records: 49